Canc frp: Aug 02

COMNAVAIRPACNOTE 13050

N421D 24 Aug 01

# COMNAVAIRPAC NOTICE 13050

Subj: AIRCRAFT CONFIGURATION LISTING FOR PACIFIC FLEET AIRCRAFT (C-2)

Encl: (1) C-2A (R) Baseline Configuration List

1.  $\underline{\text{Purpose}}$ . To issue an aircraft baseline configuration list for C-2A (R) aircraft. This is a complete revision and should be reviewed in its entirety.

- 2. Cancellation. COMNAVAIRPACINST 13050.99
- 3.  $\underline{\text{Background}}$ . This notice applies to all COMNAVAIRPAC activities having reporting custody of C-2A (R) aircraft. Other activities may be tasked to comply with the requirements of this notice as directed by either this Headquarters, cognizant wing commanders or operational commanders.

## 4. Information

- a. Attainment of the highest possible level of force readiness requires continual modification of aircraft/equipment. Because all Type/Model/Series (TMS) aircraft are seldom modified simultaneously, two or more major aircraft configurations may be operational at one time. Despite this, it is possible to maintain substantial similarity between TMS aircraft provided a baseline configuration is maintained. Enclosure (1) issues the baseline configuration for C-2A (R) aircraft. Airframe changes and equipment items not included in the baseline have either been incorporated in all aircraft, are not required for baseline purposes or have been issued after promulgation of this directive.
- b. Operating activities occasionally require more specific configuration guidance than the baseline provides. Normally, those requirements are generated by operational tasking and/or logistics considerations. In those instances COMNAVAIRPAC will issue configuration directives which supplement enclosure (1) and provide more specific quidance.
- 5. <u>Action</u>. Commanding Officers of all units having reporting custody of C-2A (R) aircraft shall endeavor to configure aircraft per enclosure (1) to the extent material/support exists and no incorporation/retrofit restrictions apply. Recommended changes to the baseline shall be forwarded to COMNAVAIRPAC via the appropriate chain of command.
- 6. <u>Cancellation Contingency</u>. This notice is cancelled upon receipt of a revised notice of the same subject.

/s/
M. L. PURCELL
Chief of Staff

# COMNAVAIRPACNOTE 13050

## Distribution:

SNDL Parts 1 and 2 (PACFLT only, unless otherwise directed) 42Q2 Fleet Logistics Support Squdron Copy to: 21A2 CINCPACFLT 22A2 Fleet Commander 24A1 Air Force Commander 26CC Fleet Coordinating Group 28A2 Carrier Group

29B2 Aircraft Carrier

42A2 Fleet Air Command

42A2 Type Wing Commander (COMAEWWINGPAC only)

42J2 Carrier Air Wing

FB34 Fleet Activities (Okinawa only)

FB6 Air Facility (Atsugi only)

FB7 Air Station (Pt Mugu and North Island only)

FKR1B Aviation Depot (North Island only)

COMNAVAIRESFOR Naval Field Service Represenative, Aircraft Maintenance Officer, Code 6702, NBVC Point Mugu 93042-5000

#### Stocked:

COMNAVAIRPAC (N004)

### C-2A(R) AIRCRAFT BASELINE CONFIGURATION LIST

## 1. Airframe Changes:

# Directive Description

- AFC 131 Pitot heater system redundancy
- AFC 134 Wing Center Section enhancement
- AFC 135 Replace upper longeron splices station 282/370
- AFC 136 Standard Air Data Computer
- AFC 137 O2 Walk Around Bottle latch
- AFC 138 ARC-190, TR-1341 wiring mod
- AFC 139 F.S. 375 Canted frame fatigue life enhancement
- AFC 140 Wing Center Section enhancement
- AFC 141 Cargo ramp mod
- AFC 142 Cabin temperature control
- AFC 143 Fire bottle insulation blanket
- AFC 144 Structural Data Recording System (SDRS)
- AFC 145 Flight control EPS pushrod assy
- AFC 146 VHF Antenna
- AFC 147 Max Rudder caution light
- AFC 148 Ground Start safety switch
- AFC 149 Nacelle floor drain holes
- AFC 150 Global Positioning System
- AFC 151 Emergency Exit Light retaining strap
- AFC 152 AOA Indexer
- AFC 153 Seat Blower system removal
- AFC 154 Wheel warning light lens and housing
- AFC 155 Cockpit circuit breaker panel hinge mod
- AFC 156 Incorporate Cains II mod
- AFC 158 Incorp Advanced Narrow Band Digital Terminal
- AFC 159 Fuselage station stencils
- AFC 160 Bailout Hatch security improvement
- AFC 161 L Shaped Pitot Static Probes
- AFC 163 Cockpit Recording System
- AFC 164 Wingfold actuator support fitting bolt
- AFC 166 Mod of WBA near main relay box
- AFC 167 Mod of F.S.569 aft bulkhead assy
- AFC 168 Rudder pedal adjust lever mechanism shield
- AFC 170 Replacement of Elevator actuator

# COMNAVAIRPACNOTE 13050

EQUIPMENT	NOMENCLATURE	C-2A(R)	C-2A(R) CAINS II	NOTES
INTERCOM SET (ICS)	AN/AIC-14	Х	Х	
COMMUNICATIONS SET	AN/ASW-25	Х	Х	
DIRECTION FINDER SET	AN/ARN-83	Х	Х	
TRANSPONDER SET	AN/APX-72	Х	X	
INFLIGHT MONITOR	TS 1843A/APX	Х	X	
RECEIVER DECODER	AN/ARA-63	Х	X	
GLOBAL POSITIONING SYSTEM	AN/ARN-163 (GPS)	Х	Х	
GPS DATA LOADER	CP-2092/MU- 1053A/CV-4138	Х	X	
ALTIMETER	RT-1042/APN	Х	X	
UHF RADIO SET	AN/ARC-159(V)	Х	X	
TACAN	AN/ARN-118	Х	X	
HF RADIO	AN/ARC-190	Х	Х	
MAGNETIC COMPASS	MA-1	X	X	
AUTOMATIC FLIGHT CONTROL	AN/ASW-15	Х	х	
HEADING REF SYS (BDHI)	ID-663D/U	Х	Х	
ATTITUDE HEADING SYSTEM	AN/ASN-116	Х	N/A	NOTE 1
CAINS II	AN/ASN-139	N/A	Y	
INTERCOM SYSTEM	AN/AIC-31	Х	X	
DOPPLER NAV SYSTEM	AN/APN-233	X	N/A	NOTE 1
AIRBORNE WEATHER RDR	AN/APN-234	Х	Х	

EQUIPMENT	NOMENCLATURE	C-2A(R)	C-2A(R) CAINS II	NOTES
STND CENT AIR DATA COMP	CPU-140	X	X	
RADIO SET	AN/ARC-175	Х	X	
ANDVT	AN/USC-43(V)3	Х	Х	
COCKPIT RECORDER SYSTEM (CSFIR)	AN/ASH-39	Х	Х	
STRUCT DATA RECORDER SYS	AN/ASH-37	Х	Х	
UHF SECURE	KY-58	Х	Х	

NOTE 1: TO BE REPLACED BY ASN-139 CAINS II SYSTEM.